Message

Peak, Nicholas [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP From:

(FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=929DF8C22E554FB89F9B0850729E1A51-PEAK, NICHOLAS]

Sent: 1/16/2020 9:15:56 PM

To: Edmondson, Lucy [Edmondson.Lucy@epa.gov]

Subject: RE: Petition for EPA emergency action pursuant to the Safe Drinking Water Act

Nope, I think folks are scurrying to put together a desk statement.

Nick Peak Agriculture Advisor EPA, Region 10 208-378-5765 peak.nicholas@epa.gov

From: Edmondson, Lucy < Edmondson. Lucy@epa.gov>

Sent: Thursday, January 16, 2020 2:02 PM To: Peak, Nicholas <Peak.Nicholas@epa.gov>

Subject: RE: Petition for EPA emergency action pursuant to the Safe Drinking Water Act

Do we need to talk?

Lucy Edmondson Director, Washington Operations Office US EPA Region 10 300 Desmond Drive Lacey, WA 98503

office: 360.753.9082 cell: 206.735.5301

From: Peak, Nicholas < Peak. Nicholas@epa.gov> Sent: Thursday, January 16, 2020 12:48 PM

To: Edmondson, Lucy < Edmondson. Lucy@epa.gov>

Subject: RE: Petition for EPA emergency action pursuant to the Safe Drinking Water Act

Just got off the phone with Suzanne about this.

Nick Peak Agriculture Advisor EPA, Region 10 208-378-5765 peak.nicholas@epa.gov

From: Edmondson, Lucy < Edmondson. Lucy@epa.gov>

Sent: Thursday, January 16, 2020 1:44 PM To: Peak, Nicholas < Peak. Nicholas@epa.gov>

Subject: FW: Petition for EPA emergency action pursuant to the Safe Drinking Water Act

I received the petition info from Chris this morning but have been swamped.. here it comes .. one of many emails

Lucy Edmondson
Director, Washington Operations Office
US EPA Region 10
300 Desmond Drive
Lacey, WA 98503

office: 360.753.9082 cell: 206.735.5301

From: Hladick, Christopher < hladick.christopher@epa.gov >

Sent: Thursday, January 16, 2020 8:42 AM

To: Kowalski, Edward < Kowalski, Edward@epa.gov>; Edmondson, Lucy < Edmondson, Lucy@epa.gov>; Pirzadeh, Michelle

<Pirzadeh.Michelle@epa.gov>

Subject: FW: Petition for EPA emergency action pursuant to the Safe Drinking Water Act

Chris Hladick Regional Administrator

U.S. Environmental Protection Agency, Region 10

Office: (206) 553-1234 Cell: (206) 247-2946 Fax: (206) 553-1809

From: Tarah Heinzen < theinzen@fwwatch.org Sent: Thursday, January 16, 2020 6:28 AM

To: Hladick, Christopher < hladick.christopher@epa.gov>; Wheeler, Andrew < wheeler.andrew@epa.gov>

Cc: OHA.DirectorsOffice@state.or.us; Alexis M Taylor <ataylor@oda.state.or.us>; Whitman.Richard@deq.state.or.us;

 $Shari\ Sirkin\ <\underline{shari}\ @friends of family farmers.org\ >;\ Brian\ Posewitz\ <\underline{brian}\ @waterwatch.org\ >;\ Brian\ Posewitz\ >brian\ Po$

<cstella@aldf.org>; Hannah Connor < HConnor@biologicaldiversity.org>; Amy van Saun

<<u>AvanSaun@CenterforFoodSafety.org</u>>; Tyler Lobdell <<u>tlobdell@fwwatch.org</u>>; STREETER Amira * GOV

<Amira.STREETER@oregon.gov>

Subject: Petition for EPA emergency action pursuant to the Safe Drinking Water Act

Administrator Wheeler and Regional Administrator Hladick,

Attached please find a petition, submitted on behalf of eight organizations and one individual, urging EPA action pursuant to SDWA Sec. 1431 to address persistent nitrate contamination in Oregon's Lower Umatilla Basin Groundwater Management Area.

The Appendices are available here, and I will send them directly in several subsequent emails.

Thank you for your consideration,

Tarah Heinzen

Senior Staff Attorney

Food & Water Watch and Food & Water Action

O (202) 683-2457 C (612) 296-0994 theinzen@fwwatch.org

Fight like you live here.

PRIVILEGE AND CONFIDENTIALITY NOTICE

This message is intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential and exempt from disclosure under applicable law as attorney client and work-product confidential or otherwise confidential communications. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication or other use of a transmission received in error is strictly prohibited. If you have received this transmission in error, immediately notify us at the above telephone number.